

Can mixed halide wide-band-gap perovskite solar cells be used for tandem photovoltaics?

In situ epitaxial growth of PSSS is achieved on mixed-halide wide-band-gap perovskites. The issue of photoinduced phase segregation is a critical challenge for the development of mixed-halide perovskite solar cells (PSCs) with wide band gap (WBG), which bears great potential for tandem photovoltaics.

Do tin-based perovskite solar cells have low photovoltage?

However, tin-based perovskite solar cells (TPSCs) with SAM HTLs suffer from low photovoltage (<0.65 V) with a deficit of >0.7 V. Herein we employ a holistic approach to tackle this significant challenge by designing a mixed SAM, engineering a compatible tin perovskite thin film, and leveraging an efficient electron transport layer.

Are 2D/3D perovskite solar cells durable under light irradiation?

In this work, we introduced mixed 2D cations for 2D/3D perovskite solar cells to increase their durability under light irradiation. A novel mixed 2D perovskite layer was formed by using *n*-octylammonium iodide ($C_{18}H_{37}NH_3^+I^-$) and *n*-butylammonium iodide ($C_4H_{11}NH_3^+I^-$) on top of the 3D perovskite layer.

What is a wide-band-gap perovskite solar cell (PSC)?

Ongoing efforts have targeted highly efficient wide-band-gap (WBG) perovskite solar cells (PSCs) (1.65-1.75 eV) as a means of constructing perovskite/silicon tandems. Mixed-halide is considered to be the most effective method for tuning the band gap of perovskites and for achieving the photocurrent matching of subcells in the tandem.

Can WBG PSCs be used to fabricate high-efficiency perovskite tandem solar cells?

To illustrate the feasibility of the above-studied WBG PSCs as subcells to fabricate high-efficiency perovskite tandem solar cells, an optimized ST device with PSSS has been developed using a transparent ITO back electrode (Figure 5 A).

Does a 3D perovskite layer affect photovoltaic properties?

Furthermore, our main finding is that the migration of the 2D perovskite into the 3D perovskite layer, during light and high-temperature stability tests, causes the reduction of the photovoltaic properties of the perovskite solar cells.

Mixed lead halide perovskite solar cells have been demonstrated to benefit tremendously from the addition of Cs⁺ and Rb⁺, but its root cause is yet to be understood. ...

For this reason, we call them ... In this work, a single-junction solar cell structure based on mixed halide perovskite $CH_3NH_3PbI_{3-x}Br_x$ for values $x = 0, 1, 2$, and 3 is ...

junction solar cells as well as the construction of all-perovskite tandem solar cells. In addition, the usage of Sn provides a path to the fabrication of lead-free or Pb-reduced perovskite solar cells ...

Perovskite solar cells (PSCs) employing formamidinium (FA) based mixed cation perovskites are inherently susceptible to moisture due to the easy bonding of their FA moieties ...

We fabricate the first mixed-quantum-dot solar cells and achieve a power conversion of 10.4%, which surpasses the performance of previously reported bulk heterojunction quantum dot ...

Sn-Pb mixed perovskite solar cells (PSCs) are developing rapidly and making great progress due to their environmentally friendly advantages. High-crystalline quality ...

2 ???· The VOC deficit is only 0.40 V, which is among the lowest values for certified WBG PSCs. Also, this strategy enables the fabrication of efficient 2-terminal all-perovskite tandem ...

2 ???· The tunable bandgaps and facile fabrication of metal halide perovskites make them attractive for tandem solar cells. One of the main bottlenecks to achieve high-performance and ...

of the cell are trimmed to fit more cells into module frame. To increase the movement of electrons, modern silicon solar cells are "doped" with boron and phosphorous. One side of the cell is ...

The comparative performance of photogalvanic cells were studied for conversion and storage of solar energy by using (NaLS+Tween-80) and (NaLS+ CTAB) as different mixed surfactant with ...

Mixed-halide perovskites could be the next-generation solar cell and LED material, but their composition and hence color of absorption and emission are unstable. Hutter ...

The power conversion efficiency (PCE) of perovskite solar cells has improved at a phenomenal pace since initial reports of 10% ¹ in 2012, now reaching a certified 25.2% in 2019. ² Their ...

Recently, mixed-halide inorganic CsPbI_{3-x}Br_x perovskite solar cells (PSCs) have had a rapid advancement, which offers balanced efficiency, stability, tunable bandgap, ...

The reason lies in the dynamical band structure changes, one of the biggest challenges in the development of light-emitting solar cells, which can be solved through controllable engineering. Herein, we demonstrate the controllable ...

PS1-3 perovskites were included in solar cell devices, as sketched in the inset of Figure 4, to investigate the influence of chloride doping on their photovoltaic (PV) performances. The solar ...

Interface engineering using self-assembled 2D perovskite interfaces is a consolidated route to efficient and durable perovskite solar cells. Whether the 2D perovskite ...

Web: <https://batteryhqcenturion.co.za>